

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6877	@ad<"20010228" and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:58
L2	32	@ad<"20010228" and "725"/\$.ccls. and ((id or indentification or identifier or indentifying) with (epg or ipg or (program\$4 adj guide)) with (tranmist\$4 or send\$3 or broadcast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:00
L3	1	@ad<"20010228" and "725"/\$.ccls. and (((user or subscriber) near2 (id or indentification or identifier or indentifying)) with (epg or ipg or (program\$4 adj guide)) with (tranmist\$4 or send\$3 or broadcast\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:01
L4	1	@ad<"20010228" and "725"/\$.ccls. and (((user or subscriber) near2 (id or indentification or identifier or indentifying)) with (epg or ipg or (program\$4 adj guide)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:02
L5	20	@ad<"20010228" and "725"/37-61. ccls. and (((user or subscriber) near2 (id or indentification or identifier or indentifying)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:56
L6	7	@ad<"20010228" and "725"/37-61. ccls. and (((unique) near2 (id or indentification or identifier or indentifying)) with request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:07
L7	134	@ad<"20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or indentification or address or identifier or indentity or identify)) same (epg or ipg or (program\$4 adj guide))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:11

EAST Search History

L8	77	@ad<"20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (epg or ipg or (program\$4 adj guide))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:11
L9	3	@ad<"20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (request\$3) with (epg or ipg or (program\$4 adj guide))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:26
L10	2	("6326982").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:19
L11	22	@ad<"20010228" and "725"/\$.ccls. and (((unique or user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (transmit\$4 or send\$3) with (epg or ipg or (program\$4 adj guide))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:29
L12	42	@ad<"20010228" and "725"/\$.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (epg or ipg or (program\$4 adj guide))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 11:33
L13	3	@ad<"20010228" and "725"/\$.ccls. and (((user or subscriber or viewer) near2 (id or identification or address or identifier or identity or identify)) with (server or headend or (head adj end)) with (epg or ipg or (program\$4 adj guide))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:00
L14	2	("5880768").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/02 11:56

EAST Search History

L15	73	@ad<"20010228" and "725"/46,47. ccls. and ((user or subscriber or viewer) near2 (id or indentification or address or identifier or indentity or identify))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:01
L16	8	@ad<"20010228" and "725"/46,47. ccls. and (((user or subscriber or viewer) near2 (id or indentification or address or identifier or indentity or identify)) with (request\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:12
L17	7	@ad<"20010228" and "725"/46,47. ccls. and (((user or subscriber or viewer) near2 (id or indentification or address or identifier or indentity or identify)) with (server or database or db or (data adj base) or headend or (head adj end)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 12:14
S1	119	(pda same (program\$4 adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/02 10:57
S2	62	(pda same (program\$4 adj guide) same (television or tv))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:55
S3	0	(pda same (program\$4 adj guide) same (television or tv) same (start adj time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 09:54
S4	14	(pda same (program\$4 adj guide) same (television or tv)) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:00
S5	3	(extract\$3 with ((start\$3 or broadcast) adj time)) same pda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:14

EAST Search History

S6	83	(extract\$3 with (time)) same pda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:11
S7	0	(extract\$3 with (time)) same (epg or (program\$4 adj guide)) same pda	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:12
S8	26	((extract\$3 with (time)) same pda) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:13
S9	0	((extract\$3 with (time)) same pda) and @ad<"20010228" and (epg or (program\$4 adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:13
S10	1	((extract\$3 same (time)) same pda) and @ad<"20010228" and (epg or (program\$4 adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:14
S11	20	(extract\$3 with ((start\$3 or broadcast) adj time)) and (pda) and (epg or (program\$4 adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:16
S12	62	(extract\$3 with ((start\$3 or broadcast) adj time)) same (epg or (program\$4 adj guide))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:16
S13	19	((extract\$3 with ((start\$3 or broadcast) adj time)) same (epg or (program\$4 adj guide))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:24

EAST Search History

S14	0	((extract\$3 with ((start\$3 or broadcast) adj time)) same alternative same (epg or (program\$4 adj guide))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:24
S15	14	(((((start\$3 or broadcast) adj time)) same alternative same (epg or (program\$4 adj guide))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:32
S16	53	(time same (alternative near3 (program or show or episode)) same (epg or (program\$4 adj guide)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:34
S17	23	(time same (alternative near3 (program or show or episode)) same (epg or (program\$4 adj guide))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 10:38
S18	25	(epg or (program\$4 adj guide)) with unavailable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:29
S19	2	(epg or (program\$4 adj guide)) with warning with download\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:29
S20	1	(epg or (program\$4 adj guide)) with error with download\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:33
S21	4	(epg or (program\$4 adj guide)) with error with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:34

EAST Search History

S22	11	(epg or (program\$4 adj guide)) with warning with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 11:34
S23	704	(725/39).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/11 11:47
S24	1	(epg or ipg or (program\$4 adj guide)) with request\$3 with (unique near3 (id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:28
S25	56	(epg or ipg or (program\$4 adj guide)) with request\$3 with ((id or identification))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:28
S26	10	((epg or ipg or (program\$4 adj guide)) with request\$3 with ((id or identification))) and @ad<"20010228"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/13 12:29